



SAFETY DATA SHEET

SECTION 1 - PRODUCT & COMPANY IDENTIFICATION

UPL South Africa (Pty) Ltd Co. Reg. No.: 2009/019713/07 7 Sunbury Office Park, Off Douglas Saunders Drive, La Lucia Ridge, South Africa, 4019	Tel: 031 514 5600 Fax: 031 514 5611 e-mail: msds@upl-ltd.com Web address: www.upl-ltd.com/za
---	---

Substance: deltamethrin
Product Name: CELTIS 25 EC
Product Use: Insecticide
Creation Date: July 2020
Revision Date: July 2023

24 Hr Emergency Number:

In case of Poisoning:

Griffon Poison Information Centre: 082 4468946

Poisons Information Helpline: 0861 555 777

In case of Spillage:

Spill Tech: 086 100 0366 / 083 253 6618

SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

Common Name: deltamethrin
Chemical Name: (S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate, Roth: (S)- α -cyano-3-phenoxybenzyl (1R)-cis-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC)
CAS. No: [52918-63-5]
Chemical family: pyrethroid
Chemical Formula: C₂₂H₁₉Br₂NO₃ (Mol. wt. 505.2)
Formulation: Deltamethrin 25 g/l
Use: Emulsifiable Concentrate
Stomach and contact insecticide for the control of insect pests in crops as listed on the product label.

Hazardous ingredients of toxicological concern:

Inert:	concern:	% present:
Deltamethrin	harmful	> 2.5 %
Other	irritant	Up to 100%

Symbol: F, Xn, N

Indication of Danger: Flammable, Harmful, Dangerous to the environment

RISK-PHRASE(S) R10, R20/22, R36/37, R43, R51

SECTION 3 - HAZARD IDENTIFICATION

Likely routes of exposure:

Skin:

Irritating to the skin. Harmful if absorbed through skin.

Eye:

Severe irritant to the eyes.

Inhalation:

Harmful if inhaled. Avoid inhalation.

Swallowed:

Data suggests the product is harmful if swallowed.

SAFETY DATA SHEET

Issued by: UPL South Africa (Pty) Ltd
Griffon poison information centre: 082 4468946

Phone: 031 514 5600
Poisons information helpline: 0861 555 777

Spilltech: 0861 000 366 / 083 253 6618



SAFETY DATA SHEET

SECTION 4 - FIRST AID MEASURES AND PRECAUTIONS

Irritating to the skin. Harmful if absorbed through the skin. Expose to the skin can induce burning, itching or tingling sensations, typically in the face, and less frequently in other regions of the skin and readily disappear within several hours or 1 day after exposure. Sweating and washing with warm water can exacerbate these abnormal sensations. Nasal discharge and a scratchy throat from inhalation, ataxia, urinary incontinence, convulsions, nervous irritability and tremors may also appear. Symptoms of poisoning include dizziness, headache, nausea, fatigue, listlessness, vomiting and increased stomach secretion, muscular fasciculation of limbs, unconsciousness, convulsions and coma (very high doses).

Inhalation:

If vapours or mists have been inhaled, and irritation has developed, remove the source of contamination or move victim to fresh air. The patient should be kept under observation and obtain medical attention if irritation persists.

Skin contact:

Remove contaminated clothing, shoes and leather goods. Wash skin gently and thoroughly with cold water and non-abrasive soap. Application of olive oil to the affected area will afford prompt relief. After the affected area is washed with soap and water, dry off and apply olive oil.

Eye contact:

Immediately flush eyes with a stream of clean water for at least 20 minutes, holding the eyelid(s) open. Obtain medical attention if irritation persists.

Ingestion:

Do not induce vomiting. Do not give anything by mouth. Obtain medical attention. If the person is alert, rinse mouth thoroughly with water.

Advice on treatment:

There is no specific antidote available.

In cases of ingestion, consider gastric lavage with water, or 5% sodium bicarbonate solution. Treatment should be symptomatic. Convulsions should be treated with anti-convulsants. Vomiting may be induced by using Ipecac Syrup.

Over-exposure may cause local irritation of the skin (burning sensation on the face and elsewhere) and irritation of the respiratory tract causing rhinorrhea, chest tightness or dyspnea.

SECTION 5 - FIRE-FIGHTING MEASURES

Fire hazard and explosion hazard:

This material is highly flammable. Combustible

Extinguishing agents:

Extinguish fires with carbon dioxide, dry powder, or alcohol-resistant foam. Water spray can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Use as little water as possible. Use spray or fog. Solid stream may cause spreading. Contain water used for firefighting for later disposal.

Firefighting:

Remove spectators from surrounding area. Remove container from fire area if possible. Contain fire control agents for later disposal. Use a recommended extinguishing agent for the type of surrounding fire. Avoid inhaling hazardous vapours and fumes from burning materials. Keep upwind.

Personal protective equipment:

Fire may produce irritating or poisonous vapours (toxic fumes of carbon oxides and nitrogen oxides), mists or other products of combustion. Fire fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus.

SECTION 6 - ACCIDENTAL RELEASE MEASURES (SPILLAGE)

Personal precautions:

Avoid contact with skin and eyes. Do not breathe in spray or fumes. For personal protection see Section 8.

Environmental precautions:

Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs.

Occupational spill:

SAFETY DATA SHEET

Issued by: UPL South Africa (Pty) Ltd

Griffon poison information centre: 082 4468946

Spilltech: 0861 000 366 / 083 253 6618

Phone: 031 514 5600

Poisons information helpline: 0861 555 777



SAFETY DATA SHEET

Remove all sources of flames and sparks. For small liquid spills, soak up with lime, damp earth or sand, or other non-combustible absorbent material and place into containers for later disposal. For large liquid spills, contain the liquid for later disposal. In situations where product comes in contact with water, contain contaminated water for later disposal. Do not flush spilled material into drains. Keep spectators away.

SECTION 7 - HANDLING AND STORAGE REQUIREMENTS

Handling:

Do not use near source of sparks or open flame. Harmful by skin or eye contact, inhalation or ingestion. Avoid contact with eyes and skin, and inhalation of spray and vapour. Use with adequate ventilation. Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Operators should change and wash clothing daily. Remove clothing immediately if the insecticide gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination.

Storage:

Do not store near sources of sparks, flame or heat. Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original labelled container in isolated, dry, cool and well-ventilated area. Not to be stored next to foodstuffs and water supplies. Local regulations should be complied with.

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

It is essential to provide adequate ventilation. The measures appropriate for a particular work site depend on how this material is used and on the extent of exposure. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

PERSONAL PROTECTIVE EQUIPMENT:

If engineering controls and work practices are not effective in controlling exposure to this material, then wear suitable personal protective equipment including approved respiratory protection.

Respirator:

It is usually safe to use the product without respirator. Where exposure through inhalation and eye contact may occur when handling, when preparing the spray mixture and when applying the product, wear a face mask. If the product is used in dusty or confined conditions or spillage and fire conditions a respirator suitable and approved for protection from dusts and mists of pesticides is adequate. Limitations of respirator use specified by the approved agency and the manufacturer must be observed.

Clothing:

Employee must wear appropriate protective (impervious) clothing and equipment to prevent repeated or prolonged skin contact with this substance.

Gloves:

Employee must wear appropriate synthetic protective gloves to prevent contact with this substance.

Eye protection:

The use of safety goggles is recommended.

Emergency eye wash: Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Yellowish homogeneous liquid with chemical odour.
Flammability:	Flammable
Flash point:	43 °C (closed cup)
Solubility:	Forms an emulsion with water.
pH:	5-9 (1% m/v solution).
Density:	0.91 g/ml @ 20°C.
Corrosive:	Corrosive.

SAFETY DATA SHEET

Issued by: UPL South Africa (Pty) Ltd
Griffon poison information centre: 082 4468946

Phone: 031 514 5600
Poisons information helpline: 0861 555 777

Spilltech: 0861 000 366 / 083 253 6618



SAFETY DATA SHEET

SECTION 10 - STABILITY AND REACTIVITY

Stability:

Chemically and thermally stable. Stable under normal storage conditions. Stable in neutral and weak acidic media (optimum is pH 5 to 8). The product is stable in light and water.

Incompatibility:

Compatible with many insecticides, fungicides and acaricides, but incompatible with alkaline substances.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute Effects:

Acute oral LD₅₀: 535 mg/kg in rats (calculated for formulation)
(*technical = 135 g/kg in rats*)

Acute dermal LD₅₀: > 2000 mg/kg in rats (calculated for formulation)
(*technical = > 2000 mg/kg in rats*)

Inhalation: Technical = 2,2 (4 hours, rats)

Acute skin irritation: Mild irritant, may cause skin sensations.

Acute eye irritation: Irritant.

Dermal sensitization: Non-Sensitizer.

May cause sensitization during over exposure.

Mutagenicity:

Studies indicate that deltamethrin is non-mutagenic by Ames bacterial reverse mutation assay.

ADI: 0.01 mg/kg b.w (JMPR, 1982)

SECTION 12 - ECOLOGICAL INFORMATION

Degradability:

Rats: Elimination of the compound occurs within 2 to 4 days of administration. The phenyl ring is hydroxylated, the ester bond hydrolysed and the acid moiety is eliminated as the glucuronide and glycine conjugate.

Plants: no uptake through the leaves and roots, is not systemic. No major metabolites except in oily crops, where trans-deltamethrin is part of the residue definition.

Soil: deltamethrin undergoes microbial degradation within 1 to 2 weeks. Strong absorption by soil colloids occurs and no risk of leaching.

Ecotoxicology:

Toxic to fish and to bees in laboratory tests. But do not represent a significant hazard to fish, bees and aquatic fauna at normal rate under field conditions.

Birds: Moderately toxic to birds.

Oral LD₅₀:	Mallard ducks: > 4640 mg/kg
LC₅₀ (8 day diet):	Quail: > 5620 mg/kg diet
	Mallard ducks: > 8039 mg/kg diet

Fish:

Toxic to fish. However, not toxic to fish under normal application conditions.

LC₅₀ (96 hours):	Rainbow trout: 0.91 µg/l
	Bluegill sunfish: 1.4 µg/l

Daphnia:

LC₅₀ (48 hours):	<i>Daphnia magna</i> : 3.5 µg/l
EC₅₀ (24 hours):	4.15 µg/l

Bees:

Toxic to bees. However, no hazard to bees under normal application conditions.

LD₅₀ (oral):	79 ng/bee
LC₅₀ (contact):	51 ng/bee

Earthworm:

LC₅₀ (14 days):	> 1290 mg/kg soil
-----------------------------------	-------------------

SAFETY DATA SHEET

Issued by: UPL South Africa (Pty) Ltd
Griffon poison information centre: 082 4468946

Phone: 031 514 5600
Poisons information helpline: 0861 555 777

Spilltech: 0861 000 366 / 083 253 6618



SAFETY DATA SHEET

SECTION 13 - DISPOSAL CONSIDERATION

Pesticide disposal:

Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or reprocessed. Never pour untreated waste or surplus products into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal.

Container disposal:

Emptied containers retain vapour and product residues. Observe all labelled safeguards until container is destroyed.

TRIPLE RINSE empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of 10 % of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the prescribed manner.

Do not re-use the empty container for any other purpose but destroy it by perforation and flattening. Prevent contamination of food, feedstuffs, drinking water and eating utensils.

Comply with local legislation applying to waste disposal.

SECTION 14 - TRANSPORT INFORMATION

UN NUMBER: 2903

Road Transport ADR/RID:

Class: 6.1

Subsidiary Group: 3.3

Packaging group: III

Shipping name: Pesticide, Liquid, Toxic, Flammable, N.O.S. (deltamethrin 25 g/l)

Maritime Transport IMDG/IMO:

Class: 6.1

Subsidiary Group: 3.3

Packing group: III

Shipping name: Pesticide, liquid, Toxic, Flammable, N.O.S. (deltamethrin 25 g/l)

Considered a marine pollutant.

SECTION 15 - REGULATORY INFORMATION

Symbol : F, Xn, N

Indication of danger : Flammable, Harmful, Dangerous to the environment

Risk phrase(s):

R 10 Flammable

R 20/22 Harmful by inhalation and if swallowed.

R 36/37 Irritating to eyes and respiratory system.

R 43 May cause sensitisation by skin contact.

R 51 Toxic to aquatic organisms.

Safety phrases:

S 1/2 Keep locked up and out of reach children.

S 13 Keep away from food, drink and animal feedingstuffs.

S 16 Keep away from sources of ignition – no smoking.

S 23 Do not breathe vapour/spray.

S 24/25 Avoid contact with skin and eyes.

S 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

SAFETY DATA SHEET

Issued by: UPL South Africa (Pty) Ltd

Griffon poison information centre: 082 4468946

Spilltech: 0861 000 366 / 083 253 6618

Phone: 031 514 5600

Poisons information helpline: 0861 555 777



SAFETY DATA SHEET

SECTION 16 - OTHER INFORMATION

Packaging:

Packed in 100, 200, 250 mL & 1, 5, 10, 20 and 25 L fluorinated plastic containers and labelled according to South African regulations and guidelines.

Disclaimer:

The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions or recommendations are not followed.

All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

SAFETY DATA SHEET

Issued by: UPL South Africa (Pty) Ltd
Griffon poison information centre: 082 4468946

Spilltech: 0861 000 366 / 083 253 6618

Phone: 031 514 5600
Poisons information helpline: 0861 555 777